

**MHS Health Wisconsin Calendar Year 2019 HEDIS® ratings:**

The Healthcare Effectiveness Data and Information Set (HEDIS®) is a tool that helps health plans measure the quality of care their members receive. MHS Health uses HEDIS® data to identify areas for improvement and monitor progress. The chart below shows our progress on HEDIS measures and areas that need improvement, based on our Calendar Year (CY)2019 HEDIS® scores.

Measure	CY2019 Results	Percentile Ranking	CY2019 Goal NCQA Quality Compass 75 <sup>th</sup> Percentile	CY2018 Results
<b>Goal Met or Exceeded</b>				
Adherence to Antipsychotic Medications for Individuals with Schizophrenia	71.46	75 <sup>th</sup>	67.99	76.45
Antidepressant Medication Management Continuation	48.35	75 <sup>th</sup>	43.10	51.52
Breast Cancer Screening	65.00	75 <sup>th</sup>	64.06	65.98
Comprehensive Diabetes Care: Eye Exam	66.42	75 <sup>th</sup>	64.48	66.42
Follow-Up After Emergency Department Visit for Mental Illness: 7 days	50.73	75 <sup>th</sup>	49.73	39.82
Follow-Up After Hospitalization for Mental Illness: 7 days	46.52	75 <sup>th</sup>	43.21	30.27
Pharmacotherapy Management of COPD Exacerbation: Corticosteroid	78.37	75 <sup>th</sup>	76.84	75.00
Pharmacotherapy Management of COPD Exacerbation: Bronchodilator	88.46	75 <sup>th</sup>	88.46	85.12
Statin Therapy for Patients with Cardiovascular Disease - Received Statin Therapy	84.35	75 <sup>th</sup>	83.07	83.80
Statin Therapy for Patients with Cardiovascular Disease - Statin Adherence	87.10	95 <sup>th</sup>	73.05	82.35
Statin Therapy for Patients with Diabetes - Statin Adherence	76.28	90 <sup>th</sup>	69.58	76.08
Use of Imaging Studies for Low Back Pain	80.00	75 <sup>th</sup>	78.14	73.86
<b>On Track with National Averages</b>				
Appropriate Testing for Pharyngitis	82.25	67 <sup>th</sup>	83.64	87.78
Appropriate Treatment for Children With Upper Respiratory Infection	90.42	67 <sup>th</sup>	91.09	96.08
Avoidance of Antibiotic Treatment in Acute Bronchitis/Bronchiolitis (measure change from CY 2018 - added ages 3 months to 17 years)	51.11	50 <sup>th</sup>	58.23	31.71
Cervical Cancer Screening	65.43	50 <sup>th</sup>	67.40	65.43
Comprehensive Diabetes Care: HbA1c Control (<8.0%)	52.31	50 <sup>th</sup>	55.96	52.31
Comprehensive Diabetes Care: BP Control <140/90	67.15	50 <sup>th</sup>	71.05	67.15
Controlling High Blood Pressure	64.76	50 <sup>th</sup>	67.64	57.42
Follow-Up After Emergency Department Visit for Alcohol or Other Drug Abuse or Dependence: 7 days	15.63	67 <sup>th</sup>	17.75	11.37
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: Engagement	15.79	50 <sup>th</sup>	18.62	11.28
Statin Therapy for Patients with Diabetes - Received Statin Therapy	67.59	67 <sup>th</sup>	68.74	66.73
<b>Needs Improvement</b>				
Adult BMI Assessment	86.90	25 <sup>th</sup>	94.56	86.90
Annual Dental Visits	37.64	10 <sup>th</sup>	66.18	39.64
Asthma Medication Ratio	54.62	10 <sup>th</sup>	68.13	63.48
Childhood Immunization Status (Combo 10)	34.80	33 <sup>rd</sup>	44.77	32.12
Chlamydia Screening in Women	55.18	33 <sup>rd</sup>	66.26	52.40
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications	78.05	10 <sup>th</sup>	84.78	72.57

**MHS Health Wisconsin Calendar Year 2019 HEDIS® ratings:**

The Healthcare Effectiveness Data and Information Set (HEDIS®) is a tool that helps health plans measure the quality of care their members receive. MHS Health uses HEDIS® data to identify areas for improvement and monitor progress. The chart below shows our progress on HEDIS measures and areas that need improvement, based on our Calendar Year (CY)2019 HEDIS® scores.

Measure	CY2019 Results	Percentile Ranking	CY2019 Goal NCQA Quality Compass 75 <sup>th</sup> Percentile	CY2018 Results
Follow-Up for Children on ADHD Medication - Continuation Phase	36.84	5 <sup>th</sup>	61.54	47.37
Immunizations for Adolescents: Combination 2	33.60	33 <sup>rd</sup>	43.06	32.85
Metabolic Monitoring for Children and Adolescents on Antipsychotics	21.62	<5 <sup>th</sup>	44.30	20.99
Prenatal Care	88.08	33 <sup>rd</sup>	92.94	73.90
Postpartum Care	73.48	25 <sup>th</sup>	80.89	53.90
Risk of Continued Opioid Use - 31 day (lower is better)	6.42	10 <sup>th</sup>	2.06	5.44
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics	56.41	25 <sup>th</sup>	72.53	56.76
Use of Opioids at High Dosage (lower rate is better)	15.94	5 <sup>th</sup>	2.98	14.10
Use of Opioids from Multiple Providers - Multiple Prescribers and Multiple Pharmacies (lower rate is better)	4.09	25 <sup>th</sup>	1.65	---
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents: BMI Percentile	65.70	10 <sup>th</sup>	87.23	59.85