

Dear Provider,

The NCQA has provided new guidance as part of the HEDIS MY25 Volume 2 Technical Update that were released March 31, 2025. The following table outlines the measures that have been updated by the NCQA, and the respective MHS Health Wisconsin provider materials on which the original measures were originally included. For the most updated HEDIS measurements and standards, visit www.ncqa.org.

Measure	Document	Change
(AMR) Asthma Medication	Quick Reference Guide	Remove "Albuterol budesonide" prescription
Ratio	HEDIS MY 2025	from Asthma Reliever Medications grid
	HEDIS Adult Pocket Guide:	Change "(Females Age 50-74) to "(Members
	2025 Measurement Year	Age 40-74 )"
(BCS-E) Breast Cancer		Change "Measure evaluates the percentage
Screening	Quick Reference Guide HEDIS MY 2025	of members 50 to 74 years of age" to
		"Measure evaluates the percentage of
		members 40 to 74 years of age"
(CBP) Controlling High	HEDIS Adult Pocket Guide:	Remove "Telephone Visits" Best Practice
Blood Pressure	2025 Measurement Year	
	HEDIS Adult Pocket Guide:	Add the following to Best Practice: "All eye
		exams must have result."
(EED) Eye Exam for	2025 Measurement Year	Add the following to Codes: "Autonomous
Patients with Diabetes		Eye Exam: 92229"
	Quick Reference Guide	Change Description from "Automated Eye
	HEDIS MY 2025	Exam" to "Autonomous Eye Exam"
(KED) Kidney Health	HEDIS Adult Pocket Guide:	
Evaluation for Patients	2025 Measurement Year	Change "EGR" to "eGFR"
with DM		
(SNS-E) Social Needs		For the "Children's Health Watch Housing
Screening	Quick Reference Guide	Stability Vital Signs <sup>™</sup> line, change the
and Intervention	HEDIS MY 2025	"Positive Finding LOINC Codes >3" to
		"Positive Finding LOINC Codes ≤ 2"
(SPC) Statin Therapy for Patients with	Quick Reference Guide	Change "Lovastatin 40 mg" to "Lovastatin 40-
Cardiovascular Disease	HEDIS MY 2025	60 mg"
Cardiovascular Disease		Change "For this measure mediantian
(TRC) Transitions of Care	Quick Reference Guide HEDIS MY 2025	Change "For this measure, medication
		reconciliation may be conducted by a
		prescribing practitioner, clinical pharmacist,
		physician assistant, or registered nurse." to
		"For this measure, medication reconciliation
		must be conducted by a prescribing
		practitioner, clinical pharmacist, physician
		assistant, or registered nurse."