

MHS Health Wisconsin Calendar Year 2021 HEDIS® Measure Ratings:

The Healthcare Effectiveness Data and Information Set (HEDIS®) is a tool that helps health plans measure the quality of care their members receive. MHS Health uses HEDIS® data to identify areas for improvement and monitor progress. The chart below shows our progress on HEDIS measures and areas that need improvement, based on our Calendar Year 2021 HEDIS® scores.

Measure	Calendar Year 2021 Results	Percentile Ranking	CY2021 Goal NCQA Quality Compass 75 th Percentile	Calendar Year 2020 Results
Goal Met or Exceeded				
Pharmacotherapy Management of COPD Exacerbation: Corticosteroid	83.33	90 th	76.87	78.21
Adherence to Antipsychotic Medications for Individuals with Schizophrenia	70.43	75 th	66.59	72.08
Antidepressant Medication Management Continuation	55.98	75 th	47.70	53.80
Appropriate Testing for Pharyngitis	77.31	75 th	76.30	84.93
Follow-Up After Emergency Department Visit for Mental Illness: 7 days	46.64	75 th	50.39	44.44
Follow-Up After Hospitalization for Mental Illness: 7 days	47.85	75 th	46.02	47.75
Pharmacotherapy Management of COPD Exacerbation: Bronchodilator	88.67	75 th	88.67	90.38
Statin Therapy for Patients with Cardiovascular Disease - Statin Adherence	86.63	95 th	76.22	81.60
Statin Therapy for Patients with Cardiovascular Disease - Received Statin Therapy	78.34	25 th	83.20	85.79
Statin Therapy for Patients with Diabetes - Statin Adherence	82.01	95 th	71.87	84.59
Statin Therapy for Patients with Diabetes - Received Statin Therapy	68.04	50 th	69.52	69.82
Use of Imaging Studies for Low Back Pain	80.39	75 th	78.30	81.28
On Track with National Averages				
Asthma Medication Ratio	66.30	50 th	69.67	59.21
Avoidance of Antibiotic Treatment in Acute Bronchitis/Bronchiolitis	55.35	50 th	61.64	54.25
Breast Cancer Screening	52.76	50 th	56.20	56.89
Cervical Cancer Screening	60.20	50 th	62.53	61.17
Childhood Immunization Status (Combo 10)	30.66	25 th	42.09	41.85
Chlamydia Screening in Women	53.61	33 rd	62.65	55.08
Comprehensive Diabetes Care: BP Control <140/90	65.45	67 th	67.40	64.96
Comprehensive Diabetes Care: Eye Exam	51.09	50 th	56.51	50.61
Controlling High Blood Pressure	63.84	67 th	65.10	58.88
Follow-Up After Emergency Department Visit for Alcohol or Other Drug Abuse or Dependence: 7 days	16.01	50 th	17.22	15.12
Follow-Up for Children on ADHD Medication - Continuation and Maintenance Phase	53.66	50 th	57.53	38.89
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: Engagement	14.46	50 th	17.93	14.72
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents: BMI Percentile	80.05	50 th	84.43	76.31
Needs Improvement				
Annual Dental Visits	28.67	10 th	55.89	25.27
Appropriate Treatment for Upper Respiratory Infection	85.97	10 th	93.85	88.15
Comprehensive Diabetes Care: HbA1c Control (<8.0%)	44.53	25 th	54.26	45.26
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications	70.66	25 th	82.26	75.42
Immunizations for Adolescents - Combination 2	30.37	10 th	41.12	29.99
Metabolic Monitoring for Children and Adolescents on Antipsychotics: Blood Glucose and Cholesterol Testing	14.10	<5 th	42.55	17.05

MHS Health Wisconsin Calendar Year 2021 HEDIS® Measure Ratings:

The Healthcare Effectiveness Data and Information Set (HEDIS®) is a tool that helps health plans measure the quality of care their members receive. MHS Health uses HEDIS® data to identify areas for improvement and monitor progress. The chart below shows our progress on HEDIS measures and areas that need improvement, based on our Calendar Year 2021 HEDIS® scores.

Measure	Calendar Year 2021 Results	Percentile Ranking	CY2021 Goal NCQA Quality Compass 75 th Percentile	Calendar Year 2020 Results
Risk of Continued Opioid Use - 31 day (lower is better)	5.41	10 th	2.08	7.03
Prenatal Care	83.92	33 rd	88.86	88.08
Postpartum Care	75.73	33 rd	81.27	71.05
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics	61.90	33 rd	69.30	50.00
Use of Opioids at High Dosage (lower rate is better)	23.36	< 5 th	2.04	20.88
Use of Opioids from Multiple Providers - Multiple Prescribers and Multiple Pharmacies (lower rate is better)	2.33	25 th	0.74	2.76